



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/629,973	07/30/2003	Michael J. Matusek	OTD-030256-US	9518
27778 7:	590 09/16/2005		EXAMINER	
COOPER CAMERON CORPORATION PO BOX 1212			GAY, JENNIFER HAWKINS	
HOUSTON, TX 77251-1212			ART UNIT	PAPER NUMBER
			3672	

DATE MAILED: 09/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/629,973	MATUSEK ET AL.			
Office Action Summary	Examiner	Art Unit			
	Jennifer H. Gay	3672			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on <u>05 August 2005</u> .					
2a) ☐ This action is FINAL . 2b) ☑ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ⊠ Claim(s) <u>1-30</u> is/are pending in the application 4a) Of the above claim(s) is/are withdrays 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-8 and 12-30</u> is/are rejected. 7) ⊠ Claim(s) <u>9-11</u> is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the drawing(s) be held in abeyance. Settion is required if the drawing(s) is objected to by the lawing(s) is objected to be lawing(s).	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s)					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 8/4/05,8/5/05. 	Paper No(s)/Mail D				

Art Unit: 3672

DETAILED ACTION

Page 2

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 19-30 are rejected under 35 U.S.C. 112, second paragraph, as failing to set forth the subject matter which applicant(s) regard as their invention. Evidence that claims 19-30 fail(s) to correspond in scope with that which applicant(s) regard as the invention can be found in the reply filed 5 August 2005. In that paper, applicant has added the above claims, and these claims indicate that the invention is different from what is defined in the original claim(s) because the original claims recite that the "gripping member" or "latching dogs" are located on the "tubular body". However, the newly filed claims recite that the "gripping member" is located on the "mandrel" which is claimed a separate feature from the "tubular body". It is not clear if the gripping member or latching dogs are meant to be located on the mandrel or the tubular body. No art rejection of the above claims has been presented due to the uncertainty of the scope of the claims

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Wightman et al. (US 4,712,621).

Regarding claim 1: Wightman et al. discloses an installation tool for landing a casing hanger 95 in a wellhead 123 and setting a seal assembly 77 in the annulus between the hanger and the wellhead without requiring rotation of a drill string (8:60-65). The tool includes the following features:

Art Unit: 3672

A mandrel 19 having an upper end adapted for connection to the string of drill pipe and a bore therethrough.

Page 3

- ➤ A tool body 13 having a lower end connected to a drill string. The tool body is carried by the mandrel and the body is axially movable relative to the mandrel (2:50-63).
- ➤ A first of connection means 91 positioned on the body for releasably connecting the body to the casing hanger without rotating the mandrel (6:51-63).
- ➤ A second of connection means **81** positioned on the body for releasably connecting the body to the seal assembly without rotating the mandrel (6:51-63).
- A pressure responsive shuttle piton 71 on the mandrel. The piston is axially movable to urge the seal assembly into the annulus between the casing hanger and the wellhead.
- ➤ A valve means 41 positioned in the mandrel bore and operable between open and closed positions by axial movement of the mandrel relative to the body.

Regarding claim 2: The body includes a main body 65a, an upper body 13a, and a lower body 65. The main body includes the connection means connecting the tool body and the seal assembly.

Regarding claim 3: The lower body includes the connection means connecting the tool body and the casing hanger.

Regarding claim 4: The upper body includes a frangible connection means (not shown, the upper body is indirectly secured to the piston via the valve means) securing the upper body to the piston prior to the seal assembly being urged into the annulus between the casing hanger and the wellhead.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3672

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 4

6. Claims 5-8 rejected under 35 U.S.C. 103(a) as being unpatentable over Wightman et al.

Regarding claim 5: Wightman et al. further discloses that the piston includes a plurality of actuator rods 73 secured to an actuator rod head. Wightman et al. fails to disclose that the head is secured to the piston via a frangible connection means.

However, it would have been considered obvious to one of ordinary skill in the art, at the time the invention was made, to have modified the piston and actuator rod head of Wightman et al. such that the head was secured to the piston via a frangible connection means in order to have provided a means for securing the rods in an unactuated position until a predetermined condition indicative of the actuation of the tool has been reached. This would have prevented premature actuation of the seal assembly and piston.

Regarding claim 6: The lower body includes a plurality of latching segments 81 positioned on the lower body for releasably connecting the body to the seal assembly. The latching dogs are circumferentially spaced on the lower body and are positioned to be urged into engagement with the casing hanger by the axial movement of a latch ring 97 positioned on the mandrel.

Regarding claim 7: The body and piston include a plurality of flow return passages 87 (6:44-50). The passages cooperated with flow return passages in the casing hanger (not shown) to allow cementing of the casing string prior to urging the seal assembly into the annulus.

Regarding claim 8: Wightman et al. discloses all of the limitations of the above claims except for the valve being a ball valve.

Bartlett et al. discloses a casing hanger assembly. Bartlett et al. further teaches that a sleeve valve, such as that taught by Wightman et al., known to be a functional equivalent to a ball valve (paragraph 52).

It would have been considered obvious to one of ordinary skill in the art, at the time the invention was made, to have modified the tool of Wightman et al. to use a ball

Art Unit: 3672

valve instead of a sleeve valve since the examiner takes Official Notice of the equivalence of a sleeve valve and ball valve for their use in the casing hanger installation art and the selection of any of these known equivalents would be within the level of ordinary skill in the art.

Page 5

Further, the latching segments are released from the seal assembly by pressure applied in the bore of the mandrel, which shifts the piston relative to the body.

7. Claims 12-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wightman et al. in view of Barlett et al. (US 2002/0189813).

Regarding claim 12: Wightman et al. discloses an installation tool for landing a casing hanger 95 in a wellhead 123 and setting a seal assembly 77 in the annulus between the hanger and the wellhead without requiring rotation of a drill string (8:60-65). The tool includes the following features:

- > A mandrel 19 having an upper end adapted for connection to the string of drill pipe and a bore therethrough.
- ➤ A tool body 13 having a lower end connected to a drill string. The body includes a main body 65a, an upper body 13a, and a lower body 65. The tool body is carried by the mandrel and the body is axially movable relative to the mandrel (2:50-63).
- ➤ A plurality of latching dogs 91 positioned on the lower body for releasably connecting the body to the casing hanger without rotating the mandrel (6:51-63).
- ➤ A plurality of latching segments 81 positioned on the lower body for releasably connecting the body to the seal assembly without rotating the mandrel (6:51-63).
- A pressure responsive shuttle piton 71 on the mandrel. The piston is axially movable to urge the seal assembly into the annulus between the casing hanger and the wellhead.

Art Unit: 3672

A valve means 41 positioned in the mandrel bore and operable between open and closed positions by axial movement of the mandrel relative to the body.

Wightman et al. discloses all of the limitations of the above claims except for the valve being a ball valve.

Bartlett et al. discloses a casing hanger assembly. Bartlett et al. further teaches that a sleeve valve, such as that taught by Wightman et al., known to be a functional equivalent to a ball valve (paragraph 52).

It would have been considered obvious to one of ordinary skill in the art, at the time the invention was made, to have modified the tool of Wightman et al. to use a ball valve instead of a sleeve valve since the examiner takes Official Notice of the equivalence of a sleeve valve and ball valve for their use in the casing hanger installation art and the selection of any of these known equivalents would be within the level of ordinary skill in the art.

Regarding claim 13: The upper body includes a plurality of tensile bolts (not shown, the upper body is indirectly secured to the piston via the valve means) securing the upper body to the piston prior to the seal assembly being urged into the annulus between the casing hanger and the wellhead.

Regarding claim 14: Wightman et al. further discloses that the piston includes a plurality of actuator rods 73 secured to an actuator rod head. Wightman et al. fails to disclose that the head is secured to the piston via a frangible connection means.

However, it would have been considered obvious to one of ordinary skill in the art, at the time the invention was made, to have modified the piston and actuator rod head of Wightman et al. such that the head was secured to the piston via a frangible connection means in order to have provided a means for securing the rods in an unactutated position until a predetermined condition indicative of the actuation of the tool has been reached. This would have prevented premature actuation of the seal assembly and piston.

Regarding claim 15: The latching dogs are circumferentially spaced on the lower body and are positioned to be urged into engagement with the casing hanger by the axial movement of a latch ring 97 positioned on the mandrel.

Art Unit: 3672

Regarding claim 16: The body and piston include a plurality of flow return passages 87 (6:44-50). The passages cooperated with flow return passages in the casing hanger (not shown) to allow cementing of the casing string prior to urging the seal assembly into the annulus.

Page 7

Regarding claim 17: The lower body would include a ball pin for operating the ball valve if a ball valve was used in place of the sleeve valve.

Regarding claim 18: The latching segments are released from the seal assembly by pressure applied in the bore of the mandrel, which shifts the piston relative to the body.

Allowable Subject Matter

- 8. The indicated allowability of claims 6-8 is withdrawn in view of a previous misinterpretation of the reference to Wightman. Rejections based on the reference follow.
- 9. Claims 9-11 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

- 10. In view of applicant's amendment, the objection to the drawings, specification, and claims has been withdrawn.
- 11. Applicant's arguments filed 5 August 2005 have been fully considered but they are not persuasive.

Applicant has argued that Wightman does not teach actuating the seal member or grips or releasing the tubular string without rotating the mandrel. In response, the examiner notes that the passages recited by applicant, column 6 starting at line 51 in particular, recites that only the drill pipe and the barrel 13 is rotated to set the above features or to release the tubular string. The barrel 13 has been used to define the "tool

Application/Control Number: 10/629,973 Page 8

Art Unit: 3672

body". The claims merely recite that the mandrel, element 19, does not rotate which is taught in column 6, lines 51-63 of Wightman.

Conclusion

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer H. Gay whose telephone number is (571) 272-7029. The examiner can normally be reached on Monday-Thursday, 6:30-4:00 and Friday, 6:30-1:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571) 272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner
Art Unit 3672

September 12, 2005